

Wmk. 8- Wide
Crown and Wide A

Australia

Official Stamps – Dienstmarken

1913



Perforated OS 14:15 mm


L1



L2



L3




2 1/2 c

L4



L6



5d

L7

Australia

Official Stamps — Dienstma

1913



15




Rated OS 8:15 1/2 mm

25



35




2 1/2 c

45




65



5d

75



9d

95



105

Australia

Official Stamps – Dienstmarken



1914/23



21

Wmk. 5


Perforated OS



19

Wz. 3

Mit Lochung OS



20



21a



22



23



24



25




26



27




28



29



30



31

4d
violet
violett




32



33



34



35

5d.
brown
braun



36




37

Australia

Official Stamp - Dienstmarken

1913

2nd wmk




44

3rd wmk



45



46




47



48



49




50




51



52




53




54




55



56



57



58

Australia

Official Stamps — Dienstmarken

1918/24

large mult,



FIG 2

Wmk. 60


Perforated OS



60

Wz. 5

Mit Lochung OS



(green
hellgrün ↗)

1d
carmine
karminrosa

61



62



63




63a

Wmk. 5

1923/24

Wz. 3

small
perf



1d
green
grün

66



67b



68c



70a




72b



73a



74




76a

Wmk. 6 — Wz. 4

2nd wmk




38



Kangaroo


6d
yellow-brown
gelbbraun

40




2s
maroon
lilabraun

41



£1
grey
grau

42



43

DA
DA
DA
DA

Australia

small mult.
Perf 13 1/2 x 12 1/2

Official Stamps - Dienstmarken

1926/30

Perforated OS

Wmk. 7

Wz. 6

Mit Lochung OS



66a



67



68



69



70



71a




72



72a




73



4 1/2 d
violet
violett

74a




5d
brown
braun

75



76



Kangaroo

6d
brown
braun


96



97



98



2s
maroon
lilabraun

99




100

Australia

Official Stamps - Dienstmarken


1924

No Watermark - Ohne Wasserzeichen



Perforated OS

64



Mit Lochung OS

65

1927



94

1929



95

1929



C-1

1930



104



105

